




01	Burner Cap	08	Right-Side panel	15	Fix support
02	Burner Cap	09	Back Panel	16	Strength support
03	Small Cap	10	Burner	17	Pipe
04	Small Pan support	11	Pipe (small)	18	Pipe fixer
05	Big Pan support	12	Fixer	19	Hook
06	Top Panel	13	Side Ignition	20	Knob
07	Left-side panel	14	Middle Ignition	21	Knob seat



7331 N.W.: 2.8kg
G.W.: 3.2kg
Loading: 20ft/40HQ: 1980/4800pcs
Carton size: 400X300X118MM



7331-H08 N.W.: 2.3kg
G.W.: 2.7kg
Loading: 20ft/40HQ: 1980/4800pcs
Carton size: 400X300X118MM



7332 N.W.: 5.25kg
G.W.: 6kg
Loading: 20ft/40HQ: 930/2200pcs
Carton size: 690X390X115MM



7332-H08 N.W.: 4.26kg
G.W.: 5.01kg
Loading: 20ft/40HQ: 930/2200pcs
Carton size: 690X390X115MM



7333 N.W.: 5.85kg
G.W.: 6.6kg
Loading: 20ft/40HQ: 930/2200pcs
Carton size: 690X390X115MM



7333-H08 N.W.: 4.86kg
G.W.: 5.61kg
Loading: 20ft/40HQ: 930/2200pcs
Carton size: 690X390X115MM



7331-F40 N.W.: 3kg
G.W.: 3.4kg

Loading: 20ft/40HQ: 2050/4950pcs

Carton size: 400X300X115MM



7031 N.W.: 2.45kg
G.W.: 2.85kg

Loading: 20ft/40HQ: 2050/4950pcs

Carton size: 400X300X115MM



7531 N.W.: 2.36kg
G.W.: 2.76kg

Loading: 20ft/40HQ: 2100/5100pcs

Carton size: 400X298X115MM



7531-H08 N.W.: 2kg
G.W.: 2.4kg

Loading: 20ft/40HQ: 2100/5100pcs

Carton size: 400X298X115MM



7332-F40 N.W.: 5.67kg
G.W.: 6.42kg

Loading: 20ft/40HQ: 950/2300pcs

Carton size: 690X390X115MM



7032 N.W.: 5.15kg
G.W.: 5.9kg

Loading: 20ft/40HQ: 950/2300pcs

Carton size: 690X390X115MM



7532 N.W.: 4.9kg
G.W.: 5.65kg

Loading: 20ft/40HQ: 1080/2670pcs

Carton size: 690X390X110MM



7533-H08 N.W.: 4.15kg
G.W.: 4.9kg

Loading: 20ft/40HQ: 1080/2670pcs

Carton size: 690X390X110MM



7333-F40 N.W.: 6.27kg
G.W.: 7.02kg

Loading: 20ft/40HQ: 950/2300pcs

Carton size: 690X390X115MM



7033 N.W.: 5.64kg
G.W.: 6.4kg

Loading: 20ft/40HQ: 950/2300pcs


Carton size: 690X390X115MM



7533 N.W.: 5.2kg
G.W.: 5.95kg

Loading: 20ft/40HQ: 1080/2670pcs

Carton size: 690X390X110MM



7533-H08 N.W.: 4.45kg
G.W.: 5.2kg

Loading: 20ft/40HQ: 1080/2670pcs

Carton size: 690X390X110MM



7332-H08T N.W.: 9.1kg
G.W.: 9.9kg

Loading : 20ft/40HQ:720/1745pcs

Carton size: 690x390x145MM

7333T N.W.: 10.7kg
G.W.: 11.5kg

Loading : 20ft/40HQ:720/1745pcs

Carton size: 690x390x145MM



8032-H N.W.: 2.5kg
G.W.: 3.0kg

Loading:20ft/40HQ:700/1700pcs

Carton size: 690x390x150MM



8052 N.W.: 5.8kg
G.W.: 6.3kg

Loading:20ft/40HQ:1220/2950pcs

Carton size: 700X370X90MM



8053 N.W.: 4.95kg
G.W.: 5.45kg

Loading:20ft/40HQ:1220/2950pcs

Carton size: 700X370X90MM



8052-A31 N.W.: 5.48kg
G.W.: 5.98kg

Loading:20ft/40HQ:1220/2950pcs

Carton size: 700X370X90MM



8053-A31 N.W.: 4.65kg
G.W.: 5.15kg

Loading:20ft/40HQ:1220/2950pcs

Carton size: 700X370X90MM



8052-SX15 N.W.: 4kg
G.W.: 4.5kg

Loading:20ft/40HQ:1220/2950pcs

Carton size: 700X370X90MM



8053-SX15 N.W.: 3.85kg
G.W.: 4.38kg

Loading:20ft/40HQ:1220/2950pcs

Carton size: 700X370X90MM



8041-140 N.W.: 2.3kg
G.W.: 2.6kg

Loading:20ft/40HQ:2650/6450pcs

Carton size: 400X300X88MM



8041-SX15 N.W.: 2.16kg
G.W.: 2.46kg

Loading:20ft/40HQ:2650/6450pcs

Carton size: 400X300X88MM



8041 N.W.: 2.86kg
G.W.: 3.16kg

Loading:20ft/40HQ:2650/6450pcs

Carton size: 400X300X88MM



7104 N.W.: 9.3kg
G.W.: 10.3kg

Loading:20ft/40HQ:960/2300pcs

Carton size: 563x504x107MM



8042-F10 N.W.: 4.15kg
G.W.: 4.64kg

Loading:20ft/40HQ:1200/2950pcs

Carton size: 700x380x88MM



8042-SX15 N.W.: 3.87kg
G.W.: 4.37kg

Loading:20ft/40HQ:1200/2950pcs

Carton size: 700x380x88MM



8042 N.W.: 5.26kg
G.W.: 5.76kg

Loading:20ft/40HQ:1200/2950pcs

Carton size: 700x380x88MM



8043 N.W.: 11.0kg
G.W.: 12.0kg

Loading:20ft/40HQ:960/2300pcs

Carton size: 563x504x107MM



8043-F10 N.W.: 4.2kg
G.W.: 4.7kg

Loading:20ft/40HQ:1200/2950pcs

Carton size: 700x380x88MM



8043-SX15 N.W.: 4.5kg
G.W.: 5.0kg

Loading:20ft/40HQ:1200/2950pcs

Carton size: 700x380x88MM




8043 N.W.: 5.31kg
G.W.: 5.81kg

Loading:20ft/40HQ:1200/2950pcs

Carton size: 700x380x88MM

STAINLESS STEEL CLASSIC GAS STOVE



01	pan support	11	knob seat
02	back panel	12	knob
03	left-side panel	13	strength support
04	top panel	14	self-tapping screw
05	burner	15	screw
06	triangle fixer (Front)	16	pipe clip
07	triangle fixer (Back)	17	label
08	pipe	18	crossbeam
09	right-side panel	19	foot
10	ignition		



7101 N.W.: 1.23kg
G.W.: 1.48kg
Loading:20ft/40HQ:2850/6950pcs
Carton size: 285X380X90MM



7101G N.W.: 1.23kg
G.W.: 1.48kg
Loading:20ft/40HQ:2850/6950pcs
Carton size: 285X380X90MM



7102 N.W.: 2.78kg
G.W.: 3.28kg
Loading:20ft/40HQ:1080/2770pcs
Carton size: 715X380X940MM



7102G N.W.: 2.81kg
G.W.: 3.31kg
Loading:20ft/40HQ:1080/2770pcs
Carton size: 715X380X940MM



7123 N.W.: 3.04kg
G.W.: 3.54kg
Loading:20ft/40HQ:1080/2770pcs
Carton size: 715X380X940MM



7123G N.W.: 3.04kg
G.W.: 3.54kg
Loading:20ft/40HQ:1080/2770pcs
Carton size: 715X380X940MM



7103 N.W.: 3.4kg
G.W.: 3.9kg
Loading:20ft/40HQ:1080/2770pcs
Carton size: 715X380X940MM



7103G N.W.: 3.38kg
G.W.: 3.88kg
Loading:20ft/40HQ:1080/2770pcs
Carton size: 715X380X940MM



7101-Z95 N.W.: 1.1 kg
G.W.: 1.35kg

Loading:20ft/40HQ:2850/6950pcs

Carton size: 285X380X90MM



7101-Z95G N.W.: 1.1 kg
G.W.: 1.35kg

Loading:20ft/40HQ:2850/6950pcs

Carton size: 285X380X90MM



7101-F70 N.W.: 0.9kg
G.W.: 1.15kg

Loading:20ft/40HQ:2850/6950pcs

Carton size: 285X380X90MM



7101-F70G N.W.: 0.9kg
G.W.: 1.15kg

Loading:20ft/40HQ:2850/6950pcs

Carton size: 285X380X90MM



7102-Z95 N.W.: 2.35kg
G.W.: 2.85kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM



7102-Z95G N.W.: 2.35kg
G.W.: 2.85kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM



7102-F70 N.W.: 2.1kg
G.W.: 2.6kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM



7102-F70G N.W.: 2.09kg
G.W.: 2.59kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM



7123-Z95 N.W.: 2.61kg
G.W.: 3.11kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM



7123-Z95G N.W.: 2.64kg
G.W.: 3.14kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM



7123-F70 N.W.: 2.35kg
G.W.: 2.85kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM



7123-F70G N.W.: 2.35kg
G.W.: 2.85kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM



7103-Z95 N.W.: 2.75kg
G.W.: 3.25kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM



7103-Z95G N.W.: 2.77kg
G.W.: 3.27kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM



7103-Z70 N.W.: 2.37kg
G.W.: 2.87kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM



7103-Z70G N.W.: 2.37kg
G.W.: 2.87kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM



7101-A08 N.W.: 0.93kg
G.W.: 1.18kg

Loading:20ft/40HQ:2850/6950pcs

Carton size: 285X380X90MM



7101-Z75 N.W.: 0.95kg
G.W.: 1.2kg

Loading:20ft/40HQ:2850/6950pcs

Carton size: 285X380X90MM



7001 N.W.: 1.52kg
G.W.: 1.77kg

Loading:20ft/40HQ:2850/6950pcs

Carton size: 285X380X90MM



7412 N.W.: 3.31kg
G.W.: 3.71kg

Loading:20ft/40HQ:1380/3440pcs

Carton size: 660X350X88MM



7102-A08 N.W.: 2.15kg
G.W.: 2.65kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM



7102-Z75 N.W.: 1.3kg
G.W.: 1.8kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM



7002 N.W.: 3.26kg
G.W.: 3.76kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM



7412-Z95 N.W.: 2.4kg
G.W.: 2.8kg

Loading:20ft/40HQ:1380/3440pcs

Carton size: 660X350X88MM



7123-A08 N.W.: 2.42kg
G.W.: 2.92kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM



7123-Z75 N.W.: 2.46kg
G.W.: 2.96kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM



7023 N.W.: 3.18kg
G.W.: 3.68kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM



7412-Z95G N.W.: 2.4kg
G.W.: 2.8kg

Loading:20ft/40HQ:1380/3440pcs

Carton size: 660X350X88MM



7103-A08 N.W.: 2.43kg
G.W.: 2.93kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM



7103-Z75 N.W.: 2.51kg
G.W.: 3.01kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM



7003 N.W.: 4.24kg
G.W.: 4.74kg

Loading:20ft/40HQ:1080/2770pcs

Carton size: 715X380X940MM




7412-A08 N.W.: 2.11kg
G.W.: 2.51kg

Loading:20ft/40HQ:1380/3440pcs

Carton size: 660X350X88MM

GLASS TOP PANEL CLASSIC GAS STOVE



01	pan support	12	knob
02	back panel	13	strength support
03	left-side panel	14	self-tapping screw
04	top panel	15	screw
05	burner	16	pipe clip
06	triangle fixer (Front)	17	water tray
07	triangle fixer (Back)	18	crossbeam
08	pipe	19	front panel
09	right-side panel	20	fastener
10	ignition	21	foot
11	knob seat		



8031 N.W.: 3.3kg
G.W.: 3.7kg
Loading:20ft/40HQ:2750/6250pcs
Carton size: 400X302X90MM



8031-H08 N.W.: 2.86kg
G.W.: 3.26kg
Loading:20ft/40HQ:2750/6250pcs
Carton size: 400X302X90MM



8032 N.W.: 6.85kg
G.W.: 7.6kg
Loading:20ft/40HQ:1150/2830pcs
Carton size: 690X390X110MM



8032-H08 N.W.: 6.4kg
G.W.: 7.15kg
Loading:20ft/40HQ:1150/2830pcs
Carton size: 690X390X110MM



8033 N.W.: 7.1kg
G.W.: 7.85kg
Loading:20ft/40HQ:1150/2830pcs
Carton size: 690X390X110MM



8033-H08 N.W.: 6.65kg
G.W.: 7.4kg
Loading:20ft/40HQ:1150/2830pcs
Carton size: 690X390X110MM



8211-SX15 N.W.: 2.9kg
G.W.: 3.2kg

Loading: 20ft/40HQ: 2600/6300pcs

Carton size: 400x300x90MM



8211-A08 N.W.: 2.56kg
G.W.: 2.86kg

Loading: 20ft/40HQ: 2600/6300pcs

Carton size: 400x300x90MM



8211-F70 N.W.: 2.5kg
G.W.: 2.8kg

Loading: 20ft/40HQ: 2600/6300pcs

Carton size: 400x300x90MM



8211-F70 N.W.: 2.5kg
G.W.: 2.8kg

Loading: 20ft/40HQ: 1080/2670pcs


Carton size: 725X385X94MM



8212-SX15 N.W.: 4.86kg
G.W.: 5.36kg

Loading: 20ft/40HQ: 1080/2670pcs

Carton size: 725X385X94MM



8212-A08 N.W.: 4.50kg
G.W.: 5.00kg

Loading: 20ft/40HQ: 1080/2670pcs

Carton size: 725X385X94MM



8212-F70 N.W.: 4.45kg
G.W.: 4.95kg

Loading: 20ft/40HQ: 1080/2670pcs

Carton size: 725X385X94MM



8212-F70G N.W.: 4.45kg
G.W.: 4.95kg

Loading: 20ft/40HQ: 1080/2670pcs

Carton size: 725X385X94MM



8213-SX15 N.W.: 5.56kg
G.W.: 6.06kg

Loading: 20ft/40HQ: 1080/2670pcs

Carton size: 725X385X94MM



8213-A08 N.W.: 5.20kg
G.W.: 5.70kg

Loading: 20ft/40HQ: 1080/2670pcs

Carton size: 725X385X94MM



8213-F70 N.W.: 5.16kg
G.W.: 5.66kg

Loading: 20ft/40HQ: 1080/2670pcs

Carton size: 725X385X94MM



8213-F70G N.W.: 5.16kg
G.W.: 5.66kg

Loading: 20ft/40HQ: 1080/2670pcs

Carton size: 725X385X94MM



8211 N.W.: kg
G.W.: kg
Loading:20ft/40HQ:2600/6300pcs
Carton size: 400x300x90MM




8211G N.W.: kg
G.W.: kg
Loading:20ft/40HQ:2600/6300pcs
Carton size: 400x300x90MM



8211-Z95 N.W.: 2.5kg
G.W.: 3.0kg
Loading:20ft/40HQ:2600/6300pcs
Carton size: 400x300x90MM




8211-Z95G N.W.: 2.5kg
G.W.: 3.0kg
Loading:20ft/40HQ:1080/2670pcs
Carton size: 725X385X94MM



8212 N.W.: 4.86kg
G.W.: 5.36kg
Loading:20ft/40HQ:1080/2670pcs
Carton size: 725X385X94MM



8212G N.W.: 4.50kg
G.W.: 5.00kg
Loading:20ft/40HQ:1080/2670pcs
Carton size: 725X385X94MM



8212-Z95 N.W.: 4.45kg
G.W.: 4.95kg
Loading:20ft/40HQ:1080/2670pcs
Carton size: 725X385X94MM




8212-Z95G N.W.: 4.45kg
G.W.: 4.95kg
Loading:20ft/40HQ:1080/2670pcs
Carton size: 725X385X94MM




8213 N.W.: 5.56kg
G.W.: 6.06kg
Loading:20ft/40HQ:1080/2670pcs
Carton size: 725X385X94MM



8213G N.W.: 5.20kg
G.W.: 5.70kg
Loading:20ft/40HQ:1080/2670pcs
Carton size: 725X385X94MM



8213-Z95 N.W.: 5.16kg
G.W.: 5.66kg
Loading:20ft/40HQ:1080/2670pcs
Carton size: 725X385X94MM



8213-Z95G N.W.: 5.16kg
G.W.: 5.66kg
Loading:20ft/40HQ:1080/2670pcs
Carton size: 725X385X94MM

**8111**N.W.: 2.52kg
G.W.: 2.85kg

Loading:20ft/40HQ:2750/6250pcs

Carton size: 400X302X90MM

**8111G**N.W.: 2.5kg
G.W.: 2.8kg

Loading:20ft/40HQ:2750/6250pcs

Carton size: 400X302X90MM

**8111-Z95**N.W.: 2.29kg
G.W.: 2.59kg


Loading:20ft/40HQ:2750/6250pcs

Carton size: 400X302X90MM

**8111-Z95G**N.W.: 2.29kg
G.W.: 2.59kg


Loading:20ft/40HQ:2750/6250pcs

Carton size: 400X302X90MM

**8112**N.W.: 5.78kg
G.W.: 6.28kg


Loading:20ft/40HQ:1150/2830pcs

Carton size: 700X380X94MM

**8112G**N.W.: 5.76kg
G.W.: 6.06kg


Loading:20ft/40HQ:1150/2830pcs

Carton size: 700X380X94MM

**8112-Z95**N.W.: 5.34kg
G.W.: 5.84kg

Loading:20ft/40HQ:1150/2830pcs

Carton size: 700X380X94MM

**8112-Z95G**N.W.: 5.35kg
G.W.: 5.85kg

Loading:20ft/40HQ:1150/2830pcs

Carton size: 700X380X94MM

**8113**N.W.: 5.93kg
G.W.: 6.43kg


Loading:20ft/40HQ:1150/2830pcs

Carton size: 700X380X94MM

**8113G**N.W.: 5.91kg
G.W.: 6.21kg


Loading:20ft/40HQ:1150/2830pcs

Carton size: 700X380X94MM

**8113-Z95**N.W.: 5.5kg
G.W.: 6kg

Loading:20ft/40HQ:1150/2830pcs

Carton size: 700X380X94MM

**8113-Z95G**N.W.: 5.5kg
G.W.: 6kg

Loading:20ft/40HQ:1150/2830pcs

Carton size: 700X380X94MM



8111-F70 N.W.: 2.16kg
G.W.: 2.46kg

Loading:20ft/40HQ:2750/6250pcs

Carton size: 400X302X90MM



8111-F70G N.W.: 2.15kg
G.W.: 2.45kg

Loading:20ft/40HQ:2750/6250pcs

Carton size: 400X302X90MM



8111-SX15 N.W.: 2.36kg
G.W.: 2.66kg

Loading:20ft/40HQ:2750/6250pcs


Carton size: 400X302X90MM



8111-H08 N.W.: 2.47kg
G.W.: 2.77kg

Loading:20ft/40HQ:2750/6250pcs


Carton size: 400X302X90MM



8112-F70 N.W.: 5.08kg
G.W.: 5.58kg

Loading:20ft/40HQ:1150/2830pcs


Carton size: 700X380X94MM



8112-F70G N.W.: 5.08kg
G.W.: 5.58kg

Loading:20ft/40HQ:1150/2830pcs

Carton size: 700X380X94MM



8112-SX15 N.W.: 5.49kg
G.W.: 5.99kg

Loading:20ft/40HQ:1150/2830pcs


Carton size: 700X380X94MM



8112-H08 N.W.: 5.71kg
G.W.: 6.21kg

Loading:20ft/40HQ:1150/2830pcs

Carton size: 700X380X94MM



8113-F70 N.W.: 5.24kg
G.W.: 5.74kg

Loading:20ft/40HQ:1150/2830pcs


Carton size: 700X380X94MM



8113-F70G N.W.: 5.23kg
G.W.: 5.73kg

Loading:20ft/40HQ:1150/2830pcs

Carton size: 700X380X94MM



8113-SX15 N.W.: 5.64kg
G.W.: 6.14kg

Loading:20ft/40HQ:1150/2830pcs

Carton size: 700X380X94MM



8113-H08 N.W.: 5.86kg
G.W.: 6.36kg

Loading:20ft/40HQ:1150/2830pcs

Carton size: 700X380X94MM

**8001**N.W.: 2.81kg
G.W.: 3.11kg


Loading: 20ft/40HQ: 2750/6250pcs

Carton size: 400X302X90MM

**8111-A08**N.W.: 2.18kg
G.W.: 2.48kg


Loading: 20ft/40HQ: 2750/6250pcs

Carton size: 400X302X90MM

**8002**N.W.: 6.1kg
G.W.: 6.6kg


Loading: 20ft/40HQ: 1150/2830pcs

Carton size: 700X380X94MM

**8112-A08**N.W.: 5.12kg
G.W.: 5.62kg

Loading: 20ft/40HQ: 1150/2830pcs

Carton size: 700X380X94MM

**8003**N.W.: 6.3kg
G.W.: 6.8kg


Loading: 20ft/40HQ: 1150/2830pcs

Carton size: 700X380X94MM

**8113-A08**N.W.: 5.28kg
G.W.: 5.78kg


Loading: 20ft/40HQ: 1150/2830pcs

Carton size: 700X380X94MM

**8412**N.W.: 4.94kg
G.W.: 5.49kg

Loading: 20ft/40HQ: 1340/3300pcs

Carton size: 660x355x90MM

**8412G**N.W.: 4.94kg
G.W.: 5.49kg


Loading: 20ft/40HQ: 1340/3300pcs

Carton size: 660x355x90MM

**8413**N.W.: 5.10kg
G.W.: 5.50kg


Loading: 20ft/40HQ: 1340/3300pcs

Carton size: 660x355x90MM

**8413G**N.W.: 5.10kg
G.W.: 5.50kg


Loading: 20ft/40HQ: 1340/3300pcs

Carton size: 660x355x90MM

**8412-Z95**N.W.: 4.50kg
G.W.: 4.90kg


Loading: 20ft/40HQ: 1340/3300pcs

Carton size: 660x355x90MM

**8412-Z95G**N.W.: 4.50kg
G.W.: 4.90kg


Loading: 20ft/40HQ: 1340/3300pcs

Carton size: 660x355x90MM

**8413-Z95**N.W.: 4.75kg
G.W.: 5.15kg


Loading: 20ft/40HQ: 1340/3300pcs

Carton size: 660x355x90MM

**8413-Z95G**N.W.: 4.75kg
G.W.: 5.15kg

Loading: 20ft/40HQ: 1340/3300pcs


Carton size: 660x355x90MM



8412-SX15 N.W.: 4.65kg
G.W.: 5.05kg

Loading:20ft/40HQ:1340/3300pcs

Carton size: 660x355x90MM



8412-A08 N.W.: 4.28kg
G.W.: 4.68kg

Loading:20ft/40HQ:1340/3300pcs


Carton size: 660x355x90MM



8413-SX15 N.W.: 4.80kg
G.W.: 5.20kg

Loading:20ft/40HQ:1340/3300pcs


Carton size: 660x355x90MM



8413-A08 N.W.: 4.44kg
G.W.: 4.84kg

Loading:20ft/40HQ:1340/3300pcs


Carton size: 660x355x90MM



8412-F70 N.W.: 4.24kg
G.W.: 4.64kg

Loading:20ft/40HQ:1340/3300pcs


Carton size: 660x355x90MM



8412-F70G N.W.: 4.24kg
G.W.: 4.64kg

Loading:20ft/40HQ:1340/3300pcs

Carton size: 660x355x90MM



8413-F70 N.W.: 4.40kg
G.W.: 4.80kg

Loading:20ft/40HQ:1340/3300pcs


Carton size: 660x355x90MM



8413-F70G N.W.: 4.40kg
G.W.: 4.80kg

Loading:20ft/40HQ:1340/3300pcs

Carton size: 660x355x90MM




8101-S29/B29 N.W.: 2.80kg
G.W.: 3.30kg

Loading:20ft/40HQ:2800/6800pcs

Carton size: 405x325x90MM

430x350x110MM



8301 N.W.: 3.20kg
G.W.: 3.70kg

Loading:20ft/40HQ:2400/5800pcs

Carton size: 405X325X108MM

430X350X130MM




8102-S29/B29 N.W.: 6.31kg
G.W.: 6.91kg

Loading:20ft/40HQ:1000/2400pcs

Carton size: 720X405X90MM

755X425X110MM



8302 N.W.: 6.80kg
G.W.: 7.40kg

Loading:20ft/40HQ:1000/2600pcs

Carton size: 720X405X108MM

705X425X350MM



8102-S29/B29 N.W.: 7.10kg
G.W.: 7.70kg

Loading:20ft/40HQ:1000/2400pcs

Carton size: 720X405X90MM

755X425X110MM



8303 N.W.: 7.30kg
G.W.: 7.90kg

Loading:20ft/40HQ:1000/2600pcs

Carton size: 720X405X88MM



WORLD POINT

GAS STOVE

CB CE ISO ROHS SASO



8802

N.W.: 8.5kg
G.W.: 9.5kg

Loading:20ft/40HQ:450/1050pcs

Carton size: 755x405x196MM



8803

N.W.: 8.5kg
G.W.: 9.5kg

Loading:20ft/40HQ:450/1050pcs

Carton size: 755x405x190MM



7802

N.W.: 7.5kg
G.W.: 8.5kg

Loading:20ft/40HQ:450/1050pcs

Carton size: 755x405x190MM



7803

N.W.: 8.0kg
G.W.: 9.0kg

Loading:20ft/40HQ:450/1050pcs

Carton size: 755x405x190MM

8802MD9N.W.: 9.5kg
G.W.: 10.7kg

Loading:20ft/40HQ:355/86pcs

Carton size: 815X475X205MM

**8802MD**N.W.: 9kg
G.W.: 10.2kg

Loading:20ft/40HQ:355/860pcs

Carton size: 285X380X88MM

**8804B**N.W.: 9.0kg
G.W.: 10.2kg

Loading:20ft/40HQ:530/1300pcs

Product Size: 600x520mm

Hole Size: 552x472mm

Carton size: 650X550X150MM

**8005**N.W.: 11.0kg
G.W.: 12.2kg

Loading:20ft/40HQ:420/1020pcs

Product Size: 770X510mm

Hole Size: 730x470mm

Carton size: 810X550X150MM

**301**

QTY:8pcs G.W.:12kg N.W:11kg

Carton size: 605X520X250MM

**MA-100S**

QTY:50pcs G.W.:22kg N.W:21kg

Carton size: 605X245X500MM

**701**

QTY:8pcs G.W.:13.8kg N.W:11.8kg

Carton size: 580X395X367MM

**501**

QTY:8pcs G.W.:17kg N.W:16kg

Carton size: 460x305x350MM

**CP-001**

QTY:1pcs G.W.:1.5kg N.W:1.3kg

Carton size: 245X245X245MM



101

QTY:8pcs G.W.:15kg N.W:14kg
Carton size: 720x370x315MM



601

QTY:8pcs G.W.:15kg N.W:14kg
Carton size: 720X370X315MM




710

QTY:8pcs G.W.:13.8kg N.W:11.8kg
Carton size: 580X395X367MM



801

QTY:12pcs G.W.:17kg N.W:14kg
Carton size: 610X315X510MM



901

QTY:4pcs G.W.:11.5kg N.W:10.5kg
Carton size: 650X305X480MM



CG-401


QTY:10pcs G.W.:13kg N.W:12kg
Carton size: 650X305X480MM



21A

N.W.: 3.88kg
G.W.: 4.18kg

QTY: 2PCS
Carton size: 530X335X180MM



C30

N.W.: 4.9kg
G.W.: 5.2kg


QTY: 1PCS
Carton size: 510X290X120MM



31A

N.W.: 4.13kg
G.W.: 4.48kg

QTY: 1PCS
Carton size: 565X330X135MM



C40

N.W.: 8.0kg
G.W.: 8.5kg


QTY: 1PCS
Carton size: 620X370X120MM



555

N.W.: 3.45kg
G.W.: 4.08kg

QTY: 1PCS
Carton size: 440X290X120MM



C50

N.W.: 16kg
G.W.: 17kg

QTY: 1PCS
Carton size: 630X450X155MM



MODEL: S95



MODEL: F95



MODEL: M



MODEL: SX15



MODEL: A11




MODEL: A12



MODEL: S11



MODEL: S12



MODEL: S21



MODEL: S22



MODEL: S19



MODEL: S09



MODEL: B19



MODEL: B09



MODEL: S39



MODEL: S29



MODEL: B39



MODEL: B29



MODEL: B27



MODEL: B07



MODEL: A08



MODEL: S6



MODEL: B11



MODEL: B12



MODEL: B21



MODEL: B22



MODEL: A42



MODEL: A41



MODEL: A21



MODEL: A22



MODEL: A31



MODEL: A32



MODEL: B32



MODEL: B31




MODEL: S10



MODEL: B91



MODEL: B90



MODEL: A1



MODEL: S15



MODEL: B15



MODEL: A08



MODEL: F70



MODEL: F70G



MODEL: L100



MODEL: Z75



MODEL: Z95



MODEL: Z95G



MODEL: H08



MODEL: F10



MODEL: F10G



MODEL:



MODEL: SX15



MODEL:




MODEL:




MODEL:




MODEL:




MODEL: X09



MODEL: X19



MODEL:



MODEL: F40



MODEL: S95



MODEL: M



MODEL: H30



MODEL: H40